

Planetary Boundary for Novel Entities: Time for a Reboot

Published as part of *Environmental Science & Technology* special issue "Safe and Just Earth System Boundaries for Novel Entities".

Annika Jahnke,* Yuge Bai, Werner Brack, Bethanie Carney Almroth, Miriam L. Diamond, Anna Lia S. Tromer Dragsdahl, Beate I. Escher, Peter Fantke, Dana Kühnel, Matthew MacLeod, Ad M. J. Ragas, Boris Sakschewski, Christian Schmidt, Volker Strauss, Gabriele Treu, Patricia Villarrubia-Gómez, Zhanyun Wang, Katrin Wendt-Potthoff, Marlene Ågerstrand, and Levke Caesar



Cite This: *Environ. Sci. Technol.* 2026, 60, 19761–19770



Read Online


ACCESS |

Metrics & More

Article Recommendations

ABSTRACT: Novel entities are diverse and complex; hence, defining their Planetary Boundary through control variables, indicators, and acceptable limits is challenging. Here, we highlight shortcomings of the current quantitative boundary, which applies a purely precautionary interpretation of safety that defines the safe operating space as zero novel entities that are not fully characterized. In practice, the zero limit is unattainable and undesirable for human societies that rely on services provided by novel entities. Furthermore, it is not operational within the framework of other boundaries, which have risk-based thresholds. We therefore propose a reboot of the Planetary Boundary for Novel Entities and recommend governance and monitoring strategies based on: (a) clarification of the "safe operating space" for novel entities, distinguishing pure precaution ("safe from the unknown") from operational precaution that tolerates a workable, non-zero level of uncertainty; (b) complementary, multilayer control variables spanning pressures, states, and impacts; (c) extensions to existing monitoring systems to provide quantitative indicators of distribution, accumulation, exposure, and impacts for subsets of novel entities to communicate the status and trends of stress from novel entities on the Earth system; and (d) recognition of regulatory and policy-related success stories that illustrate comprehensive, protective, and operational governance of novel entities.

KEYWORDS: chemicals and materials, Earth system stability, risk management, pressures — states — impacts control variables, quantitative indicators, global (environmental) monitoring, environmental governance, absolute environmental sustainability assessment, safe operating space



■ BACKGROUND AND SCOPE

The Planetary Boundary framework characterizes human-induced pressures that lead to Earth system destabilization and increased risk of reducing its habitability. Within the framework, the Planetary Boundary for Novel Entities comprises a vast diversity of anthropogenic and naturally occurring chemicals and materials, newly created or mobilized at scales capable of perturbing Earth system processes, characterized by persistence and mobility, often combined with poorly understood impacts. They exert pressure along technology life cycles (resource extraction, production, use, and end-of-life treatment), leading to impacts via fate and distribution, accumulation and exposure, and negative effects.^{1–6} Novel entities can destabilize the Earth system in many ways, including impacts on biodiversity, climate (e.g.,

through changes in albedo), habitats, regenerative food supply, and biogeochemical cycling.^{6–10} Novel entities may be produced and globally distributed long before they are detected and their impacts are understood, attributed, or assessed. Substantial data gaps arising from confidential business information (e.g., data relevant for safety assessment),¹¹ the presence of complex substances of unknown or

Received: February 25, 2026

Revised: June 3, 2026

Accepted: June 4, 2026

Published: July 2, 2026



variable composition, uncharacterized transformation products, limited safety assessment, and very restricted global monitoring coverage, make their assessment and management highly challenging.^{12,13}

Why the Planetary Boundary for Novel Entities Needs a Reboot

After more than a decade of remaining “not yet defined”, Persson et al.³ introduced a qualitative, weight-of-evidence approach to the Novel Entities boundary. Based on past experience with large-scale pollution issues, they argued that the boundary was transgressed because the pace of introduction, production, and releases of novel entities exceeded the capacity for safety assessments, monitoring, and management. Richardson et al.⁵ later translated these arguments into a quantitative boundary for the safe operating space for novel entities of zero, asserting that “the only truly safe operating space [...] is one where these entities are absent”. The current boundary is logical and consistent with a stringent definition of precaution.¹⁴ However, it is inconsistent with the other Planetary Boundaries, which define safe operating spaces through risk-based thresholds aligned with the “working definition” of precaution (Box 1).¹⁴ Furthermore, this

Box 1. Box 1:

Defining the safe operating space. The goal of the Planetary Boundary framework is to define a “safe operating space for humanity” as a set of risk-based thresholds. For novel entities, uncertainty and ignorance of impacts are intrinsic: most novel entities are poorly characterized, impacts may only manifest with long delays and far from sources, and those impacts may be practically irreversible.³ Hence, some might interpret “safe” as “safe from the unknown”, which logically leads to a **purely precautionary boundary** of zero.⁵ However, such a boundary is non-operational since societal benefits of novel entities are ignored. Here, we interpret the “safe operating space” for novel entities in a way that is consistent with the rest of the Planetary Boundary framework, i.e., as a **zone of operational precaution under uncertainty**. This framing acknowledges that zero release of novel entities is practically unattainable and uncertainty remains central, while emphasizing the need to prevent the combination of stressors from exceeding levels that could erode Earth system resilience.

definition is impractical because of societal reliance on novel entities, and hence their continued production, and insufficient capacity to conduct comprehensive risk assessments for the growing number and diversity of novel entities. As a result, the current boundary is not operational since it does not provide indicators to assess the severity, distribution, or evolution of planetary-scale risks from a widely varying range of novel entities, nor does it support prioritization among compound groups, impacts, or affected regions.¹⁵

Scope of This Paper

We describe four conceptual building blocks for the Planetary Boundary for Novel Entities to be workable within the Planetary Boundaries framework: (a) the interpretation of a “safe operating space” for novel entities and its implications for operationalizing precaution (Box 1); (b) clarifying the scope of novel entities and proposing a system of complementary control variables spanning pressure, state, and impact (Section 1), (c) improving data coverage and availability to provide

quantitative indicators for the control variables (Section 2); and (d) highlighting regulatory and policy-related success stories to identify leverage points for reducing planetary risk from novel entities and strategies for improved communication (Section 3).

1. CONTROL VARIABLES AND INTERACTIONS OF PLANETARY BOUNDARIES

Scope of the Novel Entities Boundary

To maintain conceptual clarity and minimize overlap with other Planetary Boundaries, a clear definition of “novel entities” is required. In the context of the Planetary Boundaries framework, novel entities comprise anthropogenic and naturally occurring chemicals, materials, and other human-generated entities that have the potential to disrupt Earth system processes through biological or physical effects, whose likelihood and scale of impact are increased by persistence, mobility, accumulation, and delayed detectability. In the present Perspective, we focus primarily on chemicals and materials as the most tractable components of the Novel Entities boundary and therefore suggest using the subtitle “Chemicals and Materials” for more clarity. We further propose that engineered biological systems (e.g., genetically modified organisms) should be considered outside the definition of novel entities and, instead, should be considered under the Biosphere Integrity boundary, given their primary modes of action via ecological interactions, replication, and gene flow. Anthropogenically mobilized elements (including metals, rare earth elements and radionuclides) could, by analogy, be considered under the Biogeochemical Flows boundary. However, since they can be assessed using a system of control variables representing their impact pathway,¹⁶ we consider them within the scope of the Novel Entities boundary.

Requirements for Control Variables

Novel entities in the environment lead to multifaceted impacts that are, in practice, impossible to fully characterize. Their complexity requires defining a broad set of control variables and related indicators (Box 2). Three criteria apply for control variables:³ they must be Earth-system-relevant, reflect evidence of destabilizing behavior or eroding Earth-system resilience, and be observable by means of quantitative indicators, preferably at a cross-regional or global scale. Applying these criteria to novel entities poses considerable challenges related to (lack of) knowledge, observability, and causality for the enormous number of novel entities. We conclude that operationalizing the Novel Entities boundary requires a flexible, integrated system of control variables that accounts for uncertainty, delayed effects, and systemic interactions. The Novel Entities boundary should enable accounting for boundary interactions, as pressures from novel entities can propagate across and affect multiple Earth system processes including climate and biosphere integrity.

Three Control Variables for Novel Entities Representing Pressure, State, and Impact

We propose that the Novel Entities boundary should be understood as a dynamic container for chemical and material stressors whose planetary relevance may be well established, emerging, or not yet recognized. Given the sheer number of chemicals and materials, a substantial fraction remains uncharacterized.^{3,5} Following a generalized impact pathway

Box 2. Box 2:

Control variables vs. indicators. Within the Planetary Boundary framework, **control variables** are planetary-scale parameters that regulate the state and functioning of a Planetary Boundary process or system and are traceable to anthropogenic stressors to assess human influence on Earth system stability. For most boundaries, this process is clearly defined (e.g., radiative forcing for climate change). For novel entities, however, no single Earth system process can be identified, as they affect multiple Earth system elements and boundaries. These interactions complicate the identification of appropriate control variables. **Indicators** are measurable quantities, causally linked to control variables, that enable their operationalization (i.e., their practical assessment, monitoring, and comparison across time and space). Control variables and indicators must be “fit-for-purpose” according to the boundary. For some boundaries, control variables are directly observable and therefore used as indicators, such as *atmospheric carbon dioxide concentration* for the Climate Change boundary. In other cases, control variables are conceptual and require representation by one or more observable indicators. For example, for the Biosphere Integrity boundary, the control variable *genetic diversity* is operationalized using the indicator *extinctions per million species-years*.

(life cycle emissions, distribution, accumulation, exposure → impacts),¹⁷ at least three control variable types should be included covering pressure (extraction, production, waste generation), state (use, distribution, accumulation, exposure), and impact. Individually, each type captures only part of the

risk posed by chemicals and materials, but together, they complement each other regarding the level of prevention (versus reaction), proximity to Earth system impact, and management/governance feasibility (Figure 1). The proposed pressure, state, and impact control variable types describe (i) extraction and production pressures, (ii) environmental distribution, accumulation, and exposure, and (iii) Earth system impacts of chemicals and materials. They are not directly measurable when addressing the high number and diversity of chemicals and materials. Therefore, they must be operationalized with indicators that could be globally quantifiable using standardized methodologies or harmonized modeling, and with sustained international efforts to establish, strengthen, and harmonize open and interoperable data systems.

a. Production (Pressure) Control Variable

The “production” control variable represents chemical and material proliferation early in the impact pathway, with the potential to support preventive management. In addition to intentional production, anthropogenic release pathways linked to unintentional generation such as byproduction, inappropriate waste management, including open burning of agricultural biomass residues, municipal solid waste, and plastic debris, may contribute substantial emissions and environmental exposure. Quantitative indicators for the “production” control variable could include rates of resource extraction, production volumes, waste generation, and their change over time, measures of chemical and material diversity, and share of produced novel entities with high potential to cause poorly reversible planetary impacts due to high

Impact pathway	EXTRACTION PRODUCTION (Pressure)	USE DISTRIBUTION ACCUMULATION EXPOSURE (State)	EARTH SYSTEM IMPACT
Proposed control variable	Global production (volume, diversity, persistence, mobility)	Global accumulation in remote regions and long-term reservoirs	Global impact: toxic pressure affecting Biosphere Integrity
Possible indicators	+ Rate and diversity of novel entities production + Share of persistent or mobile novel entities produced	+ Pollutant mass in, e.g., soils or sediments + Persistent pollution in polar regions	+ Human and sentinel species' responses + Bioassay outputs and chemical screening: mixture toxicity equivalents
Strengths	Highly precautionary, well aligned with regulation	Captures legacy impacts, reflects global (re)distribution	Direct link to impacts, integrates mixture effects
Limitations	Weak link to impact, does not capture legacy pollution	Retrospective, limited prevention potential for persistent pollution	Late signal, sensitive to gaps in monitoring, and unknown pathways
Planetary-scale system impact	Aggregate human-induced pressure increasing future planetary-scale impact	Persistent exposure from long-term, poorly reversible environmental accumulation	Disruption of ecosystems relevant to Earth system stability
Preventive leverage	⊕ ⊕ ⊕	⊕ ⊕ ○	⊕ ○ ○
Proximity to Earth system impact	⊕ ○ ○	⊕ ⊕ ○	⊕ ⊕ ⊕
Governance feasibility	⊕ ⊕ ⊕	⊕ ⊕ ○	⊕ ○ ○

Figure 1. Conceptual framework for operationalizing the Novel Entities boundary using complementary control variables covering pressure, state, and impact, positioned along the extraction, production → use, distribution, accumulation, exposure → impact pathway. The bottom panel provides a qualitative comparison with respect to preventive leverage, proximity to Earth system impacts, and management/governance feasibility. Circles with “+” symbols indicate higher relevance or performance relative to the other types. Complementary use of the three control variable types ensures robust assessment.

persistence or mobility in the environment. Chemicals and materials can also continue to be present due to the “lock-in” of production and use and/or the accumulated stock of a chemical or material from which releases are slow.^{18,19} A key challenge is that relevant data are incomplete across novel entities and regions, dispersed across jurisdictions, and in many cases subject to confidentiality constraints.^{11,14,17,20} Selected indicators of production and waste generation should align with existing or emerging regulatory or policy frameworks to maximize reporting efficiency. However, data availability, accessibility, and transparency vary strongly across regions: in many countries, record keeping and monitoring infrastructures remain incomplete, difficult to access, or absent (see Section 3). These limitations constrain the choice, quality, and comparability of indicators to operationalize this control variable.

b. Accumulation (State) Control Variable

The “accumulation” control variable represents the distribution, accumulation, and exposure to novel entities, in particular of wildlife because of close links with the Biosphere Integrity boundary, and in remote regions as indicators of poorly reversible planetary pollution. Quantitative indicators could include concentrations in biodiverse regions (e.g., Amazonia) where related ecotoxicological impacts may be particularly consequential, remote areas (e.g., polar regions, high-altitude mountains) as indicators of long-range transport and persistence, and in environmental media that act as long-term reservoirs for pollution, such as sediments and areas for which recovery is very slow (e.g., deep seas) or impacts are very high. Analytical tools are being developed to capture ever more novel entities. Furthermore, modeling is advancing to provide more robust and comprehensive predictions (depending on data availability). Indicators of accumulation should capture past and present emissions, cover environmental stocks of both legacy and emerging novel entities, and identify cases where emissions and exposure remain high even for non-persistent substances. They should be adaptable to changes in analytical capabilities and capacities, changes in emissions, market pressures, and regulatory interventions.

c. Impact Control Variable

The “impact” control variable represents the extent to which novel entities affect ecosystem resilience. We propose to consider mixture effects in cell-based bioassays as a promising indicator, to be tested and validated in recurring applications, since current substance-specific regulatory approaches systematically underestimate impacts from complex mixtures.^{20,21} Examples include mixture toxicity equivalents in water, soil, or biota,²² derived using new approach methodologies (NAMs)²³ that determine toxicity of chemical mixtures from environmental media comprising known and unknown compounds, including transformation products. We propose mixture effects as additional indicator, predicted from measured or estimated concentrations, such as toxic units, potentially affected or field-observed disappeared fractions of species.^{24–27} Such indicators integrate the combined effects of hundreds to thousands of known and unknown substances and have been applied at regional scales.^{28–30} The spatial variability of these indicators (e.g., decline with distance from sources or global standard deviation) could provide additional information on locally vs globally distributed stressors. Although impacts on humans are not explicitly included in the Planetary Boundary concept, human exposure and health effects at the level of populations

and communities may nevertheless provide important evidence of broader biosphere impacts from novel entities in the context of a One Health approach which recognizes the interconnected health of people, animals, and ecosystems, particularly given the comparatively extensive monitoring and data availability for human populations. As a more prospective impact-level indicator, the ‘chemical footprint’ metric could be used to quantitatively connect sources of novel entities to impacts on both ecosystems and human health, while relying on data related to usage and emissions of novel entities as well as on tools translating these into potential impact.¹⁵

Interactions with Other Planetary Boundaries

Novel entities act as stressors across planetary boundaries, affecting multiple Earth system processes. Our system of pressure, state, and impact control variables provides a structured way to relate the scale and persistence of anthropogenic stress from novel entities to observed ecosystem impacts and to position that stress within the broader Planetary Boundaries framework. The most explicitly assessed interaction is with the Biosphere Integrity boundary,^{6,7,31–33} where chemical and material proliferation can alter species composition, ecosystem functioning, and biodiversity. For example, widespread exposure to antibiotics and biocides is contributing to antibiotic resistance through the proliferation and global dissemination of resistance genes, affecting biosphere integrity and ecosystem functioning.^{34–38} Novel entities also interact with the climate system and other boundaries.⁶ Chlorofluorocarbons and other ozone-depleting substances drive stratospheric ozone depletion, which is recognized with its own boundary. Many contemporary novel entities have more diffuse effects on multiple boundaries, including greenhouse gas emissions across life cycle stages, formation of radiatively active trace gases or aerosols, and physical effects such as changes in surface properties and albedo.^{6,9,39} They further affect biogeochemical processes by interacting with microbial nutrient cycling and carbon sequestration pathways, often in combination with other anthropogenic stressors.^{3,40} Because of the diversity of novel entities, we must stay vigilant regarding potential unknown or emerging impacts of novel entities at the planetary scale.

2. MAKING INFORMATION MORE AVAILABLE

Closing Knowledge Gaps

Data scarcity is a challenge across the entire impact pathway of novel entities, increasingly toward impacts. For many known substances, data at the production stage exist (though are seldom public) but less so regarding where and how they are used, their releases, distribution, accumulation, exposure, and impacts. Data are constrained by analytical limitations and sparse geographical coverage, particularly in low-resourced countries and remote regions with limited infrastructure. Without a comprehensive data set covering the full impact pathway, a comprehensive assessment remains severely constrained. Initiatives such as the planned EU Common Data Platform on Chemicals may provide a starting point for more integrated assessment.⁴¹ To move ahead, biomonitoring of novel entities in humans could be a useful indicator, noting that production, use, release, and exposure are generally widespread when a novel entity is detectable. Humans are broadly monitored in high-income countries and integrate exposures across uptake pathways, times, and sites. Human biomonitoring, performed under the best ethical practices, can

provide evidence of bioaccumulation, long-range transport, and exposure to complex mixtures, including certain regions poorly captured by environmental monitoring. While human health is not an Earth system process and thus is formally outside the purview of the Planetary Boundary framework, accumulation in and impacts on humans can be indicators of exposure-related stress on the biosphere and cases where novel entities have surpassed acceptable levels.

Toward Comprehensive Monitoring and Data Collection

We propose multiple strategies for improved monitoring, to be adjusted to the subset of novel entities of interest as well as to the emergence of new technologies over time: (i) innovative approaches for inexpensive, standardized, and globally applicable sampling methods and sensors that can generate data even in regions with limited infrastructure;^{42–44} (ii) chemical screening combined with (mixture) effect modeling;^{28,29,45} (iii) effect-based methods including NAMs for mixture effect assessment;^{46–48} (iv) remote-sensing tools (e.g., drone- or satellite-based surveillance with automated image analysis for plastics) where accessibility for sampling is limited;⁴⁹ (v) machine learning approaches to evaluate and cluster chemicals based on their structure and hazard similarities, identify patterns of co-occurrence, and support predictions of distribution, accumulation, exposure, and negative effects (e.g., toxicity, adverse ecological outcomes) where empirical data are lacking.^{50–54} These tools can also help to systematically extract and synthesize relevant information from existing databases (e.g., regulatory data such as registration and authorization dossiers) and to connect fragmented data sets and improve early warning capabilities, among others through impact pathway approaches developed for plastics.⁵⁵ Their effective use requires sustained investment, capacity building, and global coordination since regions facing the highest pollution burdens in many cases have the weakest monitoring capacity and resources for data compilation. Monitoring cannot be a short-term, isolated effort but rather needs to be developed as a global infrastructure that enables continuous, harmonized observation and estimation of pressure, state, and impact of novel entities through strengthened international monitoring networks and long-term institutional support.

3. GOVERNANCE FRAMEWORKS AND COMMUNICATION

Regulatory and Policy-Related Success Stories

Global governance frameworks are essential for addressing widespread pollution. Several international frameworks have successfully led to reductions of releases, distribution, accumulation, and exposure and ultimately led to reduced impacts from novel entities, albeit limited to specific chemicals, e.g., the Stockholm Convention on Persistent Organic Pollutants. The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) defines hazard criteria, setting the basis for many national and regional regulations and policies designed to provide public information on the hazards of chemicals and mixtures. The EU Water Framework Directive integrates chemical and ecological pressures and may be a role model for scaling up. Consistent implementation can stimulate broader international adoption and generate spillover effects to global levels.^{56–59}

Current Obstacles to Effective Governance of Novel Entities

Beyond the scope of existing international governance frameworks, regulation remains fragmented and largely reactive. Even in well-resourced countries, regulatory systems focus narrowly on individual substances, in stark contrast to the more than 350 000 chemicals globally registered for production and use.⁶⁰ With few exceptions, assessments are typically conducted on a substance-by-substance basis and are largely retrospective, often documenting evidence of harm rather than anticipating or preventing it. Even where multilateral environmental agreements exist, they require national implementation, which frequently lags due to limited resources, institutional capacity, or political prioritization.⁶¹ Beyond fragmented governance, knowledge gaps further constrain effective regulation, e.g., related to confidentiality claims, analytical limitations, and structural barriers to data sharing.^{11,62} Moreover, the complexity of chemical mixtures, multiple interacting stressors, and the vast number of poorly characterized or unknown novel entities substantially complicate conventional risk assessment, let alone regulation, and compliance monitoring.

Approaches to Overcome these Obstacles

Addressing these structural weaknesses requires a shift toward proactive, systemic governance. The “One Substance One Assessment” approach of the EU, aiming to streamline chemical safety assessments,⁶³ could be an important step forward if data are transparent and widely accessible. However, business confidentiality and competition law currently limit data sharing and cooperation among companies.⁶⁴ In contrast, agreements such as the Stockholm Convention and institutions such as the World Health Organization emphasize that restricting access to environmental and human health-related information conflicts with the right to information and public health protection.^{65,66} For substances with insufficient data, a higher level of precaution is warranted. Defining exposure levels associated with no observable or minimal harm may offer an operational basis for governance while explicitly acknowledging uncertainty. Implementing mixture allocation factors,^{21,67} grouping of chemicals with shared hazard characteristics, and promoting chemical simplification strategies could make governance more proactive and protective.^{68,69} Combining concepts such as “essential use” and “safe-and-sustainable-by-design” could provide pathways toward reducing unnecessary chemical complexity and fostering innovation.^{70,71} Extended producer responsibility and full life-cycle cost accounting are also critical. Product prices should reflect environmental and public health costs to incentivize green chemistry and reduce overall chemical intensity. However, these approaches remain insufficiently implemented in a geopolitical context which increasingly sidelines environmental concerns. A way forward might be for coalitions of willing countries to pioneer positive changes in chemicals management. Another avenue might be introducing a new hazard category within the existing GHS framework for substances that are “hazardous to the Novel Entities Planetary Boundary”, as soon as it is defined in an operational way, explicitly linking chemical classification to Earth system stability.

Public Engagement as a Driver

Public engagement can trigger governance action and market-based change to counteract chemical and material proliferation. Correspondingly, the general public should be a major

target audience and cooperation partner for planetary boundaries science, providing civil society with knowledge on potential impacts on ecosystems and human health and empowering them for action. Citizen science activities (e.g., monitoring, plastic cleanup activities) can bring the topic close to people and increase their interest and willingness to support reducing pressures from novel entities. Analytical costs are decreasing, allowing some citizens to commission analyses and act on the basis of the outcomes. Seeking material sufficiency to reduce overconsumption and the related environmental burden cannot, and should not, be placed on individual consumers nor applied uniformly across contexts.^{72,73} In high-income countries, sufficiency may involve consuming less and demanding safer alternatives, while in lower-income settings, the leverage lies in poverty reduction and economic security to reach sufficiency as well as holding international companies and regulatory bodies accountable for safe production and waste disposal practices. Overall, public engagement cannot replace but should support system-level changes.

Communication about Novel Entities

The term “novel entities” is not intuitive; hence, we propose to use “chemicals and materials” as a short name or subtitle for clarification. Effective communication should build on existing knowledge, use accessible language, and highlight solutions to overcome hazardous exposures. Involving social scientists and adopting co-design approaches, where scientists, policy-makers, industry actors, and civil society jointly develop solutions, can help in that respect. Scientists can articulate the co-benefits of action in one domain (e.g., reducing chemical complexity) generating positive outcomes across Planetary Boundaries (e.g., reduced greenhouse gas emissions). Visual communication by artists can make positive future pathways tangible.⁷⁴ Decision-makers need robust evidence on the societal costs of using novel entities, e.g., health care costs, productivity losses, and ecosystem damage.^{55,75} Such information may justify restrictions as economically rational decisions that reduce net societal costs and align with the precautionary and “polluter pays” principles.⁷⁶ It might be useful to remind decision-makers of successful collaboration (e.g., within the European Green Deal)⁷⁷ to revive this spirit. However, decisions ultimately depend on political priorities and are region-specific.

FINAL REMARKS

Our main proposals include (i) adopting the subtitle “chemicals and materials” to clearly communicate the scope of novel entities; (ii) defining the “safe operating space” as operational precaution under uncertainty rather than absolute safety; (iii) establishing a system of multimetric, complementary pressure – state – impact control variables combined with suitable indicators; (iv) moving engineered biological systems from the Novel Entities to the Biological Integrity boundary while keeping anthropogenically mobilized elements; and (v) strengthening long-term global monitoring, management, and communication regarding novel entities, building upon existing policy, legislation, governance, and involvement of many via citizen science. Together, these measures enhance the operational value of the Novel Entities boundary while maintaining a precautionary approach, consistent with the Planetary Boundaries framework.

NEXT STEPS

Next steps could include (i) clarifying how existing and emerging concepts and management approaches, such as the envisaged circularity of novel entities can be categorized in the pressures – states – impacts system; (ii) learning from approaches used in other Planetary Boundary domains to translate from the status of the boundary to implementing controls; (iii) exploring to what extent existing data on chemicals and materials can serve to quantify the proposed indicators for the complementary control variables; (iv) examining the needs and design of future data collection which ensures that regulatory reporting and data infrastructures generate the evidence needed to quantify the proposed indicators; (v) developing a system to qualify the level of knowledge available for different chemicals and materials within the broader novel entities framework and guidelines on how to deal with knowledge gaps; (vi) discussing how existing regulations and chemicals management approaches could be extended to cover broader ranges of novel entities and a wider geographical region with respect to monitoring and assessment; (vii) conducting proof-of-concept studies, e.g., under the umbrella of the Organisation for Economic Co-operation and Development (OECD), the Global Framework on Chemicals (GFC), and/or other inclusive international fora, to test the operationalization of the proposed indicators for the complementary control variables; and (viii) supporting existing and emerging multi-sectoral fora including scientists, regulators, industry, and representatives of civil society to strengthen protective management of chemicals and materials globally. While new ideas and perspectives are needed and welcome, it may also be worthwhile to explore mechanisms that ensure the complementarity of future initiatives in a coordinated manner.

AUTHOR INFORMATION

Corresponding Author

Annika Jahnke – Helmholtz-Centre for Environmental Research - UFZ, 04318 Leipzig, Germany; RWTH Aachen University, 52074 Aachen, Germany; orcid.org/0000-0001-7815-151X; Email: annika.jahnke@ufz.de

Authors

Yuge Bai – Potsdam Institute for Climate Impact Research (PIK), Member of the Leibniz Association, D-14412 Potsdam, Germany; orcid.org/0009-0007-7331-5395

Werner Brack – Helmholtz-Centre for Environmental Research - UFZ, 04318 Leipzig, Germany; Institute of Ecology, Evolution and Diversity, Goethe University, 60438 Frankfurt am Main, Germany

Bethanie Carney Almroth – Department of Biological and Environmental Sciences, University of Gothenburg, 405 30 Göteborg, Sweden; orcid.org/0000-0002-5037-4612

Miriam L. Diamond – Department of Earth Sciences, University of Toronto, Toronto, Ontario M5S 3B1, Canada; School of the Environment, University of Toronto, Toronto, Ontario M5S 3E8, Canada; orcid.org/0000-0001-6296-6431

Anna Lia S. Tromer Dragsdahl – Section of Quantitative Sustainability Assessment, Department of Environmental and Resource Engineering and Centre for Absolute Sustainability Assessment, Technical University of Denmark (DTU), 2800 Kgs. Lyngby, Denmark; orcid.org/0009-0007-3815-2260

Beate I. Escher – Helmholtz-Centre for Environmental Research - UFZ, 04318 Leipzig, Germany; Environmental Toxicology, Department of Geosciences, Eberhard Karls University Tübingen, 72076 Tübingen, Germany; orcid.org/0000-0002-5304-706X

Peter Fantke – substitute ApS, 2400 Copenhagen, Denmark; Department for Evolutionary Ecology and Environmental Toxicology, Goethe University, 60438 Frankfurt Am Main, Germany; Department of Environmental Sciences, College of Agriculture and Environmental Sciences, University of South Africa, 1710 Rodepoort, South Africa; orcid.org/0000-0001-7148-6982

Dana Kühnel – Helmholtz-Centre for Environmental Research - UFZ, 04318 Leipzig, Germany; Centre for Mineral Biogeochemistry, University of the Free State, Bloemfontein, Free State 9301, South Africa

Matthew MacLeod – Department of Environmental Science, Stockholm University, 114 18 Stockholm, Sweden; orcid.org/0000-0003-2562-7339

Ad M. J. Ragas – Radboud Institute for Biological and Environmental Sciences (RIBES), Radboud University, 6525 AJ Nijmegen, The Netherlands

Boris Sakschewski – Potsdam Institute for Climate Impact Research (PIK), Member of the Leibniz Association, D-14412 Potsdam, Germany

Christian Schmidt – Helmholtz-Centre for Environmental Research - UFZ, 04318 Leipzig, Germany; orcid.org/0000-0001-9787-8327

Volker Strauss – German Environment Agency (UBA), 06844 Dessau, Germany

Gabriele Treu – Department for Evolutionary Ecology and Environmental Toxicology, Goethe University, 60438 Frankfurt Am Main, Germany; German Environment Agency (UBA), 06844 Dessau, Germany

Patricia Villarrubia-Gómez – Department of Wildlife, Fish, and Environmental Studies, Swedish University of Agricultural Sciences, 901 83 Umeå, Sweden; Stockholm Resilience Centre, Stockholm University, 106 91 Stockholm, Sweden

Zhanyun Wang – Empa–Swiss Federal Laboratories for Materials Science and Technology, 9014 St. Gallen, Switzerland; National Centre of Competence in Research (NCCR) Catalysis, 8093 Zürich, Switzerland; University of Southern Denmark, Department of Green Technology & Danish Institute for Advanced Study (DIAS), 5230 Odense, Denmark; orcid.org/0000-0001-9914-7659

Katrin Wendt-Potthoff – Helmholtz-Centre for Environmental Research – UFZ, 39114 Magdeburg, Germany; orcid.org/0000-0002-7407-3312

Marlene Ågerstrand – Department of Environmental Science, Stockholm University, 114 18 Stockholm, Sweden; orcid.org/0000-0003-2697-2310

Levke Caesar – Potsdam Institute for Climate Impact Research (PIK), Member of the Leibniz Association, D-14412 Potsdam, Germany

Complete contact information is available at:
<https://pubs.acs.org/10.1021/acs.est.6c03044>

Author Contributions

Conceptualization: AJ, LC, YB, MML; Writing - Original Draft: AJ, LC, YB, KW-P; Writing - Review & Editing: AJ, YB, WB, BCA, MLD, ALSTD, BIE, PF, DK, MML, AR, BS, CS,

VS, GT, PV-G, ZW, KW-P, MÅ, LC; Visualization: AJ, YB, ALSTD; Funding acquisition: AJ.

Notes

The authors declare no competing financial interest.

Biography



Annika Jahnke is a Head of the Department of Exposure Science at the Helmholtz-Centre for Environmental Research – UFZ in Leipzig, Germany. She holds a Ph.D. in Environmental Chemistry (2007) and a Professorship in Exposome Analytics at RWTH Aachen University (since 2020). She pursues combining environmental and human health assessment using identical tools. Her special interests are in (i) environmental partitioning, fate and effects of environmental pollutants across compartments, (ii) describing the exposome, i.e. the life-long exposure to chemicals, of wildlife and humans, and (iii) environmental weathering and fate of plastics and associated chemicals. Together with global experts, she supports the development of methods for assessing pollution by chemicals and materials in the context of planetary boundaries. Research ID: <http://www.researcherid.com/rid/D-4528-2013>.

ACKNOWLEDGMENTS

The contents of this paper are the product of discussions preceding, during, and following an expert workshop held in November, 2025, at the Helmholtz Centre for Environmental Research - UFZ. We are grateful to Michaela Hein for continued support in the conceptualization and realization of the workshop, and we acknowledge financial support of the workshop from the UFZ Planetary Solutions funding scheme 2025. Z.W. gratefully acknowledges financial support from NCCR Catalysis (grant number 225147), a National Centre of Competence in Research funded by the Swiss National Science Foundation. A.L.S.T.D. gratefully acknowledges financial support from the European Commission project HEU CheMatSustain (GA 101137990). L.C., Y.B., and B.S. are part of the Planetary Boundaries Science Lab's research effort at the Potsdam Institute of Climate Impact Research (PIK). We gratefully acknowledge the constructive reviewer comments that helped to improve the manuscript. **Use of AI tools.** Portions of this work were facilitated by the use of AI-based tools (e.g., ChatGPT), which supported literature synthesis and text drafting. All outputs were critically reviewed and revised by the authors to ensure accuracy and integrity.

REFERENCES

- (1) UNEP. *Global Chemicals Outlook II - From Legacies to Innovative Solutions: Implementing the 2030 Agenda for Sustainable Development*;

2019. <https://wedocs.unep.org/handle/20.500.11822/28113> (accessed 2026–02–22).

(2) UNEP. *Making Peace with Nature: A Scientific Blueprint to Tackle the Climate, Biodiversity and Pollution Emergencies*; 2021. <https://wedocs.unep.org/handle/20.500.11822/34948> (accessed 2026–02–22).

(3) Persson, L. A.; Carney Almroth, B. M.; Collins, C. D.; Cornell, S.; de Wit, C. A.; Diamond, M. L.; Fantke, P.; Hassellöv, M.; MacLeod, M.; Ryberg, M. W.; Jorgensen, P. S.; Villarrubia-Gómez, P.; Wang, Z.; Hauschild, M. Z. Outside the Safe Operating Space of the Planetary Boundary for Novel Entities. *Environ. Sci. Technol.* **2022**, *56* (3), 1510–1521.

(4) Keller, A.; Ehrens, A.; Zheng, Y.; Nowack, B. Developing trends in nanomaterials and their environmental implications. *Nat. Nanotechnol.* **2023**, *18* (8), 834–837.

(5) Richardson, K.; Steffen, W.; Lucht, W.; Bendtsen, J.; Cornell, S.; Donges, J.; Drüke, M.; Fetzer, I.; Bala, G.; von Bloh, W.; et al. Earth beyond six of nine planetary boundaries. *Sci. Adv.* **2023**, *9* (37), 16.

(6) Villarrubia-Gómez, P.; Carney Almroth, B.; Eriksen, M.; Ryberg, M.; Cornell, S. Plastics pollution exacerbates the impacts of all planetary boundaries. *One Earth* **2024**, *7* (12), 2119–2138.

(7) Diamond, M.; de Wit, C.; Molander, S.; Scheringer, M.; Backhaus, T.; Lohmann, R.; Arvidsson, R.; Bergman, A.; Hauschild, M.; Holoubek, I.; et al. Exploring the planetary boundary for chemical pollution. *Environ. Int.* **2015**, *78*, 8–15.

(8) Villarrubia-Gómez, P.; Cornell, S.; Fabres, J. Marine plastic pollution as a planetary boundary threat - The drifting piece in the sustainability puzzle. *Mar. Polym.* **2018**, *96*, 213–220.

(9) Arp, H. P. H.; Kühnel, D.; Rummel, C.; MacLeod, M.; Potthoff, A.; Reichelt, S.; Rojo-Nieto, E.; Schmitt-Jansen, M.; Sonnenberg, J.; Toorman, E.; Jahnke, A. Weathering Plastics as a Planetary Boundary Threat: Exposure, Fate, and Hazards. *Environ. Sci. Technol.* **2021**, *55* (11), 7246–7255.

(10) Carney Almroth, B.; Cornell, S.; Diamond, M.; de Wit, C.; Fantke, P.; Wang, Z. Understanding and addressing the planetary crisis of chemicals and plastics Comment. *One Earth* **2022**, *5* (10), 1070–1074.

(11) Ingre-Khans, E.; Ågerstrand, M.; Beronius, A.; Rudén, C. Transparency of chemical risk assessment data under REACH. *Environ. Sci.-Process Impacts* **2016**, *18* (12), 1508–1518.

(12) European Environment Agency. *Europe's environment 2025*; 2025. <https://www.eea.europa.eu/en/europe-environment-2025/main-report> (accessed 2026–02–22).

(13) Bub, S.; Petschick, L.; Stehle, S.; Wolfram, J.; Schulz, R. Limitations of chemical monitoring hinder aquatic risk evaluations on the macroscale. *Science* **2025**, *388* (6753), 1301–1305.

(14) Gee, D. Late Lessons from Early Warnings: Towards realism and precaution with EMF? *Pathophysiology* **2009**, *16* (2–3), 217–231.

(15) Smit, M.; Zare Jeddi, M.; Tolls, J.; Terry, C.; Fantke, P. Challenges and Initiatives to Operationalize the Planetary Boundaries for Novel Entities. *Environ. Sci. Technol.* **2026**, *60*, 10359–10368.

(16) Böse, F.; Neugebauer, J.; Lösel, T.; Nickel, M.-S.; Wimmers, A.; von Hirschhausen, C. Bridging a gap: Analyzing radioactive materials within the planetary boundary framework. *Ecol. Econ.* **2026**, *244*, 108971.

(17) Kosnik, M.; Hauschild, M.; Fantke, P. Toward Assessing Absolute Environmental Sustainability of Chemical Pollution. *Environ. Sci. Technol.* **2022**, *56* (8), 4776–4787.

(18) Blumenthal, J.; Diamond, M. L.; Hoffmann, M.; Wang, Z. Time to Break the “Lock-In” Impediments to Chemicals Management. *Environ. Sci. Technol.* **2022**, *56* (7), 3863–3870.

(19) Abbasi, G.; Buser, A. M.; Soehl, A.; Murray, M. W.; Diamond, M. L. Stocks and Flows of PBDEs in Products from Use to Waste in the U.S. and Canada from 1970 to 2020. *Environ. Sci. Technol.* **2015**, *49* (3), 1521–1528.

(20) Hassold, E.; Galert, W.; Schulze, J. Options for an environmental risk assessment of intentional and unintentional

chemical mixtures under REACH: the status and ways forward. *Environ. Sci. Eur.* **2021**, *33* (1), 17.

(21) Backhaus, T.; Scholze, M.; Brack, W.; Martin, O.; Slunge, D.; Ågerstrand, M.; Kortenkamp, A.; Escher, B. Include a mixture allocation factor to improve EU chemical risk management. *Science* **2025**, *390* (6774), 678–680.

(22) Escher, B. I.; Blackwell, B. R.; Cavallin, J.; Dann, J. P.; Jahnke, A.; Jensen, C.; Jensen, K.; Kahl, M.; Krauss, M.; König, M.; Neale, P. A.; Scholz, S.; Villeneuve, D.; Ankley, G. T. In vitro bioassays for quantifying mixture effects of organic micropollutants extracted from caged fish, water, and sediment. *Environ. Toxicol. Chem.* **2026**, *45* (1), 137–151.

(23) European Chemicals Agency. *New Approach Methodologies in Regulatory Science. Proceedings of a scientific workshop, Helsinki, 19–20 April 2016*; 2016. https://echa.europa.eu/documents/10162/2174236/scientific_ws_proceedings_en.pdf/a2087434-0407-4705-9057-95d9c2c2cc57, DOI: 10.2823/543644 (accessed 2026–05–22).

(24) Posthuma, L.; van Gils, J.; Zijp, M. C.; van de Meent, D.; de Zwart, D. Species sensitivity distributions for use in environmental protection, assessment, and management of aquatic ecosystems for 12 386 chemicals. *Environ. Toxicol. Chem.* **2019**, *38* (4), 905–917.

(25) Oginah, S. A.; Posthuma, L.; Slootweg, J.; Hauschild, M.; Fantke, P. Calibrating Predicted Mixture Toxic Pressure to Observed Biodiversity Loss in Aquatic Ecosystems. *Global Change Biology* **2025**, *31* (6), No. e70305.

(26) Kuipers, K. J. J.; Melki, A.; Morel, S.; Schipper, A. F. Relationships between mean species abundance (MSA) and potentially disappeared fraction of species (PDF) are consistent but also uncertain. *Environmental and Sustainability Indicators* **2025**, *26*, 100652.

(27) Pärtel, M.; Tamme, R.; Carmona, C.; Riibak, K.; Moora, M.; Bennett, J.; Chiarucci, A.; Chytrý, M.; de Bello, F.; Eriksson, O.; et al. Global impoverishment of natural vegetation revealed by dark diversity. *Nature* **2025**, *641* (8064), 917–924.

(28) Finckh, S.; Carmona, E.; Borchardt, D.; Büttner, O.; Krauss, M.; Schulze, T.; Yang, S.; Brack, W. Mapping chemical footprints of organic micropollutants in European streams. *Environ. Int.* **2024**, *183*, 108371.

(29) Rorije, E.; Wassenaar, P.; Slootweg, J.; van Leeuwen, L.; van Broekhuizen, F.; Posthuma, L. Characterization of ecotoxicological risks from unintentional mixture exposures calculated from European freshwater monitoring data: Forwarding prospective chemical risk management. *Sci. Total Environ.* **2022**, *822*, 153385.

(30) European Environment Agency. *SOLUTIONS project output simulating the impact of chemical mixtures on a potentially affected fraction of species (msPAF) and highlighting regions where there could be significant chemical pollution pressure on freshwater species*. 2022. <https://www.eea.europa.eu/en/analysis/maps-and-charts/solutions-project-output-simulating-the> (accessed 2026–02–22).

(31) Persson, L.; Breitholtz, M.; Cousins, I.; de Wit, C.; MacLeod, M.; McLachlan, M. Confronting Unknown Planetary Boundary Threats from Chemical Pollution. *Environ. Sci. Technol.* **2013**, *47* (22), 12619–12622.

(32) Jahnke, A.; Arp, H.; Escher, B.; Gewert, B.; Gorokhova, E.; Kühnel, D.; Ogonowski, M.; Potthoff, A.; Rummel, C.; Schmitt-Jansen, M.; et al. Reducing Uncertainty and Confronting Ignorance about the Possible Impacts of Weathering Plastic in the Marine Environment. *Environ. Sci. Technol. Lett.* **2017**, *4* (3), 85–90.

(33) Keck, F.; Peller, T.; Alther, R.; Barouillet, C.; Blackman, R.; Capo, E.; Chonova, T.; Couton, M.; Fehlinger, L.; Kirschner, D.; et al. The global human impact on biodiversity. *Nature* **2025**, *641* (8062), 395.

(34) Alkorta, I.; Garbisu, C. Expanding the focus of the One Health concept: links between the Earth-system processes of the planetary boundaries framework and antibiotic resistance. *Rev. Environ. Health* **2025**, *40* (1), 159–173.

(35) Feckler, R.; Schulz, R.; Schäfer, R. Meta-analysis on the effects of chemical stressors on freshwater ecosystem functions. *Environ. Sci. Eur.* **2025**, *37*, 111.

- (36) Lozano, Y.; Aguilar-Trigueros, C.; Onandia, G.; Maass, S.; Zhao, T.; Rillig, M. Effects of microplastics and drought on soil ecosystem functions and multifunctionality. *J. Appl. Ecol.* **2021**, *58* (5), 988–996.
- (37) Larsson, D. G. J.; Flach, C.F. Antibiotic resistance in the environment. *Nat. Rev. Microbiol.* **2022**, *20*, 257–269.
- (38) Bhatt, S.; Chatterjee, S. Environmental pollution as a critical driver of antimicrobial resistance emergence. *Discov Environ* **2025**, *3*, 285.
- (39) MacLeod, M.; Arp, H. P. H.; Tekman, M. B.; Jahnke, A. The global threat from plastic pollution. *Science* **2021**, *373* (6550), 61–65.
- (40) MacLeod, M.; Breitholtz, M.; Cousins, I.; de Wit, C.; Persson, L.; Rudén, C.; McLachlan, M. Identifying Chemicals That Are Planetary Boundary Threats. *Environ. Sci. Technol.* **2014**, *48* (19), 11057–11063.
- (41) EUR-Lex. *Proposal for a REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL establishing a common data platform on chemicals, laying down rules to ensure that the data contained in it are findable, accessible, interoperable and reusable and establishing a monitoring and outlook framework for chemicals*. 2023. <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:52023PC0779> (accessed 2026–02–22).
- (42) van Emmerik, T. H. M.; Kirschke, S.; Schreyers, L. J.; Nath, S.; Schmidt, C.; Wendt-Potthoff, K. Estimating plastic pollution in rivers through harmonized monitoring strategies. *Mar. Pollut. Bull.* **2023**, *196*, 115503.
- (43) Schreyers, L.; van Emmerik, T. H. M.; Kirschke, S.; Pinto, R.; Schmidtknecht, L.; Schmidt, C.; Wendt-Potthoff, K. Suitability of river plastic monitoring methods for citizen science. *Plastics* **2025**, *3*, No. e31.
- (44) Corbau, C.; Lazarou, A.; Bajt, O.; Filipović Marijić, V.; Simčić, T.; Coltorti, M.; Pignoni, E.; Simeoni, U. Citizen Science for Monitoring Plastic Pollution from Source to Sea: A Systematic Review of Methodologies, Best Practices, and Challenges. *Water* **2025**, *17*, 2668.
- (45) Cheng, Y.; Ding, J.; Arenas, C. E. D.; Brinkmann, M.; Ji, X. A brief review on the assessment of potential joint effects of complex mixtures of contaminants in the environment. *Environmental Science: Advances* **2024**, *3*, 661–675.
- (46) Neale, P.; Braun, G.; Brack, W.; Carmona, E.; Gunold, R.; König, M.; Krauss, M.; Liebmann, L.; Liess, M.; Link, M.; et al. Assessing the Mixture Effects in In Vitro Bioassays of Chemicals Occurring in Small Agricultural Streams during Rain Events. *Environ. Sci. Technol.* **2020**, *54* (13), 8280–8290.
- (47) Schmeisser, S.; Miccoli, A.; von Bergen, M.; Berggren, E.; Braeuning, A.; Busch, W.; Desaintes, C.; Gourmelon, A.; Grafström, R.; Harrill, J.; et al. New approach methodologies in human regulatory toxicology-Not if, but how and when! *Environ. Int.* **2023**, *178*, 108082.
- (48) Li, X.; Zhou, J.; Bai, Y.; Qiao, M.; Xiong, W.; Schulze, T.; Krauss, M.; Williams, T. D.; Brown, B.; Orsini, L.; Guo, L.-H.; Colbourne, J. K. Bioactivity Profiling of Chemical Mixtures for Hazard Characterization. *Environ. Sci. Eur.* **2025**, *59* (1), 291–301.
- (49) Zhou, S.; Kaufmann, H.; Bohn, N.; Bochow, M.; Kuester, T.; Segl, K. Identifying distinct plastics in hyperspectral experimental lab-, aircraft-, and satellite data using machine/deep learning methods trained with synthetically mixed spectral data. *Remote Sens. Environ.* **2022**, *281*, 113263.
- (50) von Borries, H.; Holmquist, H.; Kosnik, M.; Beckwith, K. V.; Jolliet, O.; Goodman, J. M.; Fantke, P. Potential for Machine Learning to Address Data Gaps in Human Toxicity and Ecotoxicity Characterization. *Environ. Sci. Technol.* **2023**, *57* (46), 18259–18270.
- (51) Gustavsson, M.; Käll, S.; Svedberg, P.; Inda-Diaz, J. S.; Molander, S.; Coria, J.; Backhaus, T.; Kristiansson, E. Transformers enable accurate prediction of acute and chronic chemical toxicity in aquatic organisms. *Sci. Adv.* **2024**, *10* (10), eadk6669.
- (52) von Borries, K.; Beckwith, K.; Goodman, J.; Chiu, W.; Jolliet, O.; Fantke, P. Uncertainty-aware machine learning to predict non-cancer human toxicity for the global chemicals market. *Nat. Commun.* **2026**, *17* (1), 17.
- (53) Posthuma, L.; Price, T.; Viljanen, M. Improving the Ecotoxicological Hazard Assessment of Chemicals by Pairwise Learning. *Environ. Sci. Technol.* **2025**, *59*, 16250–16260.
- (54) Köhler, H. R.; Aalizadeh, R.; Treu, G.; Gräff, T.; Peschke, K.; Prutz, I.; Thomaidis, N. S.; Triebkorn, R.; von der Ohe, P. C. By integrating previously overlooked drivers AI boosts bioaccumulation assessment in fish. *J. Haz Mat* **2026**, *501*, 140648.
- (55) Landrigan, P.; Dunlop, S.; Treskova, M.; Raps, H.; Symeonides, C.; Muncke, J.; Spring, M.; Stegeman, J.; Carney Almroth, B.; Chiles, T. C.; et al. The Lancet Countdown on health and plastics. *Lancet* **2025**, *406* (10507), 1044–1062.
- (56) Bradford, A. The Brussels Effect. *Northwest. Univ. Law Rev.* **2012**, *107* (1), 1–67.
- (57) Bradford, A. *The Brussels Effect: How the European Union Rules the World*. 2019.
- (58) Perkins, R.; Neumayer, E. Does the 'California effect' operate across borders? Trading- and investing-up in automobile emission standards. *J. Eur. Public Policy* **2012**, *19* (2), 217–237.
- (59) Bocken, N.; Matthew, C.; Dalhammar, C. The Brussels and California Effects? Circular Economy Policy Influence Across Borders. *Circular Economy and Sustainability* **2025**, *5*, 1665–1688.
- (60) Wang, Z. Y.; Walker, G. W.; Muir, D. C. G.; Nagatani-Yoshida, K. Toward a Global Understanding of Chemical Pollution: A First Comprehensive Analysis of National and Regional Chemical Inventories. *Environ. Sci. Technol.* **2020**, *54* (5), 2575–2584.
- (61) Melymuk, L.; Blumenthal, J.; Šánka, O.; Shu-Yin, A.; Singla, V.; Šebková, K.; Pullen Fedinick, K.; Diamond, M. L. A persistent problem: the global challenges to managing PCBs. *Environ. Sci. Technol.* **2022**, *56* (12), 9029–9040.
- (62) Fantke, P.; Aurisano, N.; Provoost, J.; Karamertzanis, P.; Hauschild, M. Toward effective use of REACH data for science and policy. *Environ. Int.* **2020**, *135*, 105336.
- (63) European Council. *Chemicals: Council greenlights legislative package to streamline chemical safety assessments*. 2025. <https://www.consilium.europa.eu/en/press/press-releases/2025/11/13/chemicals-council-greenlights-legislative-package-to-streamline-chemical-safety-assessments/> (accessed 2026–02–22).
- (64) Fantke, P.; Cinquemani, C.; Yaseneva, P.; De Mello, J.; Schwaab, H.; Ebeling, B.; Lapkin, A. Transition to sustainable chemistry through digitalization. *Chem.* **2021**, *7* (11), 2866–2882.
- (65) UNEP. *Stockholm Convention*. <https://chm.pops.int/TheConvention/Overview/TextoftheConvention/tabid/2232/Default.aspx> (accessed 2026–02–22).
- (66) Orellana, M. *Right to science in the context of toxic substances. Report of the Special Rapporteur on the implications for human rights of the environmentally sound management and disposal of hazardous substances and waste*; 2021. <https://digitallibrary.un.org/record/3936864> (accessed 2026–02–22).
- (67) Treu, G.; Schulze, J.; Galert, W.; Hassold, E. Regulatory and practical considerations on the implementation of a mixture allocation factor in REACH. *Environ. Sci. Eur.* **2024**, *36*, 101.
- (68) Fenner, K.; Scheringer, M. The Need for Chemical Simplification As a Logical Consequence of Ever-Increasing Chemical Pollution. *Environ. Sci. Technol.* **2021**, *55* (21), 14470–14472.
- (69) Wang, Z. Y.; Praetorius, A. Integrating a Chemicals Perspective into the Global Plastic Treaty. *Environ. Sci. Technol. Lett.* **2022**, *9* (12), 1000–1006.
- (70) van Dijk, J.; Sharma, A.; Nowack, B.; Wang, Z. Y.; Scheringer, M. From Ambition to Action: Navigating Obstacles and Opportunities of "Safe and Sustainable by Design". *Environ. Sci. Technol.* **2025**, *59* (29), 14832–14841.
- (71) Scheringer, M.; Arp, H. P. H.; Cousins, I. T. Boundaries, Limits, Global Threats - How Can the Impacts of Global Synthetic Pollutants Be Reduced? *Environ. Sci. Technol.* **2026**, *60*, 4499.
- (72) Rammelt, C. F.; Gupta, J.; Liverman, D.; Scholtens, J.; Ciobanu, D.; Abrams, J. F.; Bai, X.; Gifford, L.; Gordon, C.; Hurlbert, M.; Inoue, C. Y. A.; Jacobson, L.; Lade, S. J.; Lenton, T. M.; Armstrong McKay, D. I.; Nakicenovic, N.; Okereke, C.; Otto, I. M.; Pereira, L. M.; Prodani, K.; Rockström, J.; Stewart-Koster, B.; Verburg, P. H.;

Zimm, C.; et al. Impacts of meeting minimum access on critical earth systems amidst the Great Inequality. *Nature Sustainability* **2023**, *6*, 212–221.

(73) Tian, P.; Zhong, H.; Chen, X.; Feng, K.; Sun, L.; Zhang, N.; Shao, X.; Liu, Y.; Hubacek, K. Keeping the global consumption within the planetary boundaries. *Nature* **2024**, *635*, 625–630.

(74) Stockholm Resilience Centre. *Marine science through the eyes of sci-fi. Former PhD student turns to sci-fi to envision the future of our oceans*. <https://www.stockholmresilience.org/research/research-news/2016-09-26-marine-science-through-the-eyes-of-sci-fi.html> (accessed 2026–02–22).

(75) Trasande, L.; Zoeller, R.; Hass, U.; Kortenkamp, A.; Grandjean, P.; Myers, J.; DiGangi, J.; Hunt, P.; Rudel, R.; Sathyanarayana, S.; et al. Burden of disease and costs of exposure to endocrine disrupting chemicals in the European Union: an updated analysis. *Andrology* **2016**, *4* (4), 565–572.

(76) Alberini, A. *Measuring the economic value of the effects of chemicals on ecological systems and human health*; 2017. https://www.oecd.org/content/dam/oecd/en/publications/reports/2017/03/measuring-the-economic-value-of-the-effects-of-chemicals-on-ecological-systems-and-human-health_bb983bfd/9dc90f8d-en.pdf DOI: 10.1787/9dc90f8d-en (accessed 2026–02–22).

(77) European Commission. *European Green Deal. Striving to be the first climate-neutral continent*. https://commission.europa.eu/strategy-and-policy/priorities-2019-2024/european-green-deal_en (accessed 2026–02–22).